https://www.phoenixcontact.com/cn/products/1407711



Connector set - HC-EVO-B10PT-BWD-HL-M25-PLRBK - 1407711

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)



EVO connector set consisting of: 1407729, 1407730, 1407634, 1407628, 1407670

Why buy this product

- Both contact insert PE sheets are connected by means of a metal frame integrated in the sleeve housing
- Metal inlays ensure leading PE contact with angled plugs
- Halogen-free plastic
- Marking label can be attached



Key Commercial Data

Packing unit	1 STK	
GTIN	4 046356 777766	
GTIN	4046356777766	
Sales Key	BF7AFW	

Technical data

General

Control			
Number of positions	10+PE		
Design	B10		
Connection method	Push-in connection		
Cable exit	straight		
	lateral		
Degree of protection for housing	IP66		
	12 (UL 50e)		

02/22/2017 Page 1 / 3

https://www.phoenixcontact.com/cn/products/1407711



Connector set - HC-EVO-B10PT-BWD-HL-M25-PLRBK - 1407711

Technical data

General

Connection method	Push-in connection	
Rated voltage (III/3)	500 V	
Rated surge voltage	6 kV	
Rated current	16 A	

Standards and Regulations

Flammability rating according to UL 94	V0
--	----

Articles in set

Contact insert - HC-B 10-I-PT-F - 1407729



HEAVYCON socket insert, B10 series, 10 + PE-pos., push-in connection

Contact insert - HC-B 10-I-PT-M - 1407730



HEAVYCON pin insert, B10 series, 10 + PE-pos., push-in connection

Housing - HC-EVO-B10-BWD-PLRBK - 1407634



HEAVYCON EVO panel mounting base, plastic, B10, with double locking latch, height: 30.5 mm, with flat gasket

Housing - HC-EVO-B10-HLFD-PLBK - 1407628



HEAVYCON EVO sleeve housing, plastic, with bayonet flange for EVO screw connection, B10, for double locking latch, height: 60.5 mm, without EVO screw connection

02/22/2017 Page 2 / 3

https://www.phoenixcontact.com/cn/products/1407711



Connector set - HC-EVO-B10PT-BWD-HL-M25-PLRBK - 1407711

Articles in set

Cable gland - HC-B-G-M25-PLRBK - 1407670



EVO plastic cable gland with bayonet locking, for housing series B, size M25, cable diameter: 9 ... 17 mm

Approvals		
Approvals		
Approvals		
EAC / EAC		
Ex Approvals		
Approval details		
EAC	ERC	7500651.22.01.00246
EAC	EAC	EAC-Zulassung

Phoenix Contact 2017 © - all rights reserved http://www.phoenixcontact.com

02/22/2017 Page 3 / 3