https://www.phoenixcontact.com/cn/products/1409655



## Connector set - HC-KIT-A03-R01 - 1409655

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)



Connector set, consisting of: D7 sleeve housing and panel mounting base, 3-pos. plug and socket insert, M20



## **Key Commercial Data**

Packing unit	1 STK
GTIN	4 046356 752404
GTIN	4046356752404
Sales Key	BF7AFX

## Technical data

#### **Dimensions**

Cable diameter	9 mm 13 mm
General	

Number of positions	3+PE
Design	D7
Rated voltage	230 V
Rated current	10 A
Connection method	Screw connection
Cable exit	straight

02/22/2017 Page 1 / 3

https://www.phoenixcontact.com/cn/products/1409655



## Connector set - HC-KIT-A03-R01 - 1409655

## Articles in set

Contact insert - HC-A 3-ESTS - 1773080



HEAVYCON male insert, A3 series, 3-pos., screw connection without wire protection

Housing - HC-D 7-TFL-57/O1M20G - 1604888



HEAVYCON sleeve housing D7, for single locking latch, height 57 mm, with gland, straight cable outlet, zinc die-cast

Housing - HC-D 7-AMLD-24/GR - 1676970



HEAVYCON panel mounting base D7, with single locking latch, height 24 mm, straight, zinc die-cast, with metal protective cover, for female inserts

Contact insert - HC-A 3-EBUS - 1773093



HEAVYCON female insert, A3 series, 3-pos., screw connection without wire protection

## Approvals

Approvals

Approvals

EAC / EAC

Ex Approvals

Approval details

02/22/2017 Page 2 / 3

https://www.phoenixcontact.com/cn/products/1409655



# Connector set - HC-KIT-A03-R01 - 1409655

## Approvals

EAC	ERC	7500651.22.01.00246
EAC	ERC	EAC-Zulassung

Phoenix Contact 2017 © - all rights reserved http://www.phoenixcontact.com

02/22/2017 Page 3 / 3