https://www.phoenixcontact.com/cn/products/1409671



# Connector set - HC-KIT-B06-R01 - 1409671

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)



Connector set, consisting of: B6 sleeve housing and panel mounting base, 6-pos. plug and socket insert, M20 cable gland



### **Key Commercial Data**

Packing unit	1 STK
GTIN	4 046356 752428
GTIN	4046356752428
Sales Key	BF7AFX

### Technical data

#### **Dimensions**

Cable diameter 9 m	mm 13 mm
--------------------	----------

#### General

Number of positions	6+PE
Design	B6
Rated voltage	500 V
Rated current	16 A
Connection method	Screw connection
Cable exit	straight

02/22/2017 Page 1 / 3

https://www.phoenixcontact.com/cn/products/1409671



# Connector set - HC-KIT-B06-R01 - 1409671

### Articles in set

Contact insert - HC-B 6-I-UT-M - 1648115



HEAVYCON male insert, B6 series, 6-pos., screw connection

Housing - HC-B 6-TFL-N-O1STM20G - 1460339



HEAVYCON B6 sleeve housing, for single locking latch, height: 56 mm, with 1 x M20 thread, straight cable outlet

Housing - HC-B 6-AMLD - 1771147



HEAVYCON B6 panel mounting base, with single locking latch, height: 29 mm, with plastic cover, with flat gasket

Contact insert - HC-B 6-I-UT-F - 1648128



HEAVYCON female insert, B6 series, 6-pos., screw connection

### Approvals

Approvals

Approvals

EAC / EAC

Ex Approvals

Approval details

02/22/2017 Page 2 / 3

https://www.phoenixcontact.com/cn/products/1409671



# Connector set - HC-KIT-B06-R01 - 1409671

### Approvals

EAC	ERC	7500651.22.01.00246
EAC	ERC	EAC-Zulassung

Phoenix Contact 2017 © - all rights reserved http://www.phoenixcontact.com

02/22/2017 Page 3 / 3