

<https://www.phoenixcontact.com/cn/products/1409684>



Connector set - HC-KIT-B06-R02 - 1409684


Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Connector set, consisting of: B6 sleeve housing and panel mounting base, 6-pos. plug and socket insert, M20 cable gland

RoHS

Key Commercial Data

Packing unit	1 STK
GTIN	 4 046356 752435
GTIN	4046356752435
Sales Key	BF7AFX

Technical data

Dimensions

Cable diameter	9 mm ... 13 mm
----------------	----------------

General

Number of positions	6+PE
Design	B6
Rated voltage	500 V
Rated current	16 A
Connection method	Screw connection
Cable exit	lateral

<https://www.phoenixcontact.com/cn/products/1409684>



Connector set - HC-KIT-B06-R02 - 1409684

Articles in set

Contact insert - HC-B 6-I-UT-M - 1648115



HEAVYCON male insert, B6 series, 6-pos., screw connection

Housing - HC-B 6-TFL-N-O1STM20S - 1460346



HEAVYCON B6 sleeve housing, for single locking latch, height: 56 mm, with 1 x M20 thread, lateral cable outlet

Housing - HC-B 6-AMLD - 1771147



HEAVYCON B6 panel mounting base, with single locking latch, height: 29 mm, with plastic cover, with flat gasket

Contact insert - HC-B 6-I-UT-F - 1648128



HEAVYCON female insert, B6 series, 6-pos., screw connection

Approvals

Approvals

Approvals

EAC / EAC

Ex Approvals

Approval details


<https://www.phoenixcontact.com/cn/products/1409684>



Connector set - HC-KIT-B06-R02 - 1409684

Approvals

EAC		7500651.22.01.00246
-----	---	---------------------

EAC		EAC-Zulassung
-----	---	---------------

Phoenix Contact 2017 © - all rights reserved
<http://www.phoenixcontact.com>