



Connector set - HC-KIT-B10-R01 - 1409697

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Key Commercial Data

Packing unit	1 STK
GTIN	 4 046356 752442
GTIN	4046356752442
Sales Key	BF7AFX

Technical data

Dimensions

Cable diameter	11 mm ... 16 mm
----------------	-----------------

General

Number of positions	10+PE
Design	B10
Rated voltage	500 V
Rated current	16 A
Connection method	Screw connection
Cable exit	straight

<https://www.phoenixcontact.com/cn/products/1409697>



Connector set - HC-KIT-B10-R01 - 1409697

Articles in set

Contact insert - HC-B 10-I-UT-M - 1648173



HEAVYCON male insert, B10 series, 10-pos., screw connection

Housing - HC-B 10-TFL-N-O1STM25G - 1460039



HEAVYCON B10 sleeve housing, for single locking latch, height: 56 mm, with 1 x M25 thread, straight cable outlet

Housing - HC-B 10-AMLD - 1771354



HEAVYCON B10 panel mounting base, with single locking latch, height: 29 mm, with plastic cover, with flat gasket

Contact insert - HC-B 10-I-UT-F - 1648186



HEAVYCON female insert, B10 series, 10-pos., screw connection

Approvals

Approvals

Approvals

EAC / EAC

Ex Approvals

Approval details

Connector set - HC-KIT-B10-R01 - 1409697

Approvals

EAC		7500651.22.01.00246
-----	---	---------------------

EAC		EAC-Zulassung
-----	---	---------------

Phoenix Contact 2017 © - all rights reserved
<http://www.phoenixcontact.com>