

<https://www.phoenixcontact.com/cn/products/1409707>



## Connector set - HC-KIT-B10-R02 - 1409707


Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Connector set, consisting of: B10 sleeve housing and panel mounting base, 10-pos. plug and socket insert, M25 cable gland



### Key Commercial Data

Packing unit	1 STK
GTIN	 4 046356 752459
GTIN	4046356752459
Sales Key	BF7AFX

### Technical data

#### Dimensions

Cable diameter	11 mm ... 16 mm
----------------	-----------------

#### General

Number of positions	10+PE
Design	B10
Rated voltage	500 V
Rated current	16 A
Connection method	Screw connection
Cable exit	lateral

<https://www.phoenixcontact.com/cn/products/1409707>



## Connector set - HC-KIT-B10-R02 - 1409707

### Articles in set

Contact insert - HC-B 10-I-UT-M - 1648173



HEAVYCON male insert, B10 series, 10-pos., screw connection

Housing - HC-B 10-TFL-N-O1STM25S - 1460040



HEAVYCON B10 sleeve housing, for single locking latch, height: 56 mm, with 1 x M25 thread, lateral cable outlet

Housing - HC-B 10-AMLD - 1771354



HEAVYCON B10 panel mounting base, with single locking latch, height: 29 mm, with plastic cover, with flat gasket

Contact insert - HC-B 10-I-UT-F - 1648186



HEAVYCON female insert, B10 series, 10-pos., screw connection

## Approvals

### Approvals

Approvals

EAC / EAC

Ex Approvals


### Approval details

<https://www.phoenixcontact.com/cn/products/1409707>



## Connector set - HC-KIT-B10-R02 - 1409707

### Approvals

EAC		7500651.22.01.00246
-----	---	---------------------

EAC		EAC-Zulassung
-----	---	---------------

---

Phoenix Contact 2017 © - all rights reserved  
<http://www.phoenixcontact.com>