

<https://www.phoenixcontact.com/cn/products/1409723>



Connector set - HC-KIT-B16-R02 - 1409723


Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Connector set, consisting of: B16 sleeve housing and panel mounting base, 16-pos. plug and socket insert, M25 cable gland

RoHS

Key Commercial Data

Packing unit	1 STK
GTIN	 4 046356 752671
GTIN	4046356752671
Sales Key	BF7AFX

Technical data

Dimensions

Cable diameter	11 mm ... 16 mm
----------------	-----------------

General

Number of positions	16+PE
Design	B16
Rated voltage	500 V
Rated current	16 A
Connection method	Screw connection
Cable exit	lateral

<https://www.phoenixcontact.com/cn/products/1409723>



Connector set - HC-KIT-B16-R02 - 1409723

Articles in set

Contact insert - HC-B 16-I-UT-M - 1648238



HEAVYCON male insert, B16 series, 16-pos., screw connection

Housing - HC-B 16-TFL-N-O1STM25S - 1460102



HEAVYCON B16 sleeve housing, for single locking latch, height: 65 mm, with 1 x M25 thread, lateral cable outlet

Housing - HC-B 16-AMLD - 1771613



HEAVYCON B16 panel mounting base, with single locking latch, height: 29 mm, with plastic cover, with flat gasket

Contact insert - HC-B 16-I-UT-F - 1648241



HEAVYCON female insert, B16 series, 16-pos., screw connection

Approvals

Approvals

Approvals

EAC / EAC

Ex Approvals

Approval details


<https://www.phoenixcontact.com/cn/products/1409723>



Connector set - HC-KIT-B16-R02 - 1409723

Approvals

EAC		7500651.22.01.00246
-----	---	---------------------

EAC		EAC-Zulassung
-----	---	---------------

Phoenix Contact 2017 © - all rights reserved
<http://www.phoenixcontact.com>