

<https://www.phoenixcontact.com/cn/products/1409765>



## Connector set - HC-KIT-B24-R03 - 1409765


Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Connector set, consisting of: B24 sleeve housing and panel mounting base, 24-pos. plug and socket insert, M32 cable gland

RoHS

### Key Commercial Data

Packing unit	1 STK
GTIN	 4 046356 752718
GTIN	4046356752718
Sales Key	BF7AFX

### Technical data

#### Dimensions

Cable diameter	14 mm ... 21 mm
----------------	-----------------

#### General

Number of positions	24+PE
Design	B24
Rated voltage	500 V
Rated current	16 A
Connection method	Screw connection
Cable exit	straight

<https://www.phoenixcontact.com/cn/products/1409765>



## Connector set - HC-KIT-B24-R03 - 1409765

### Articles in set

Contact insert - HC-B 24-I-UT-M - 1648296



HEAVYCON pin insert, B24 series, 24-pos., screw connection

---

Housing - HC-B 24-TFQ-N-O1STM32G - 1460222



HEAVYCON B24 sleeve housing, for double locking latch, height: 65 mm, with 1 x M32 thread, straight cable outlet

---

Housing - HC-B 24-AMQ - 1771927



HEAVYCON B24 panel mounting base, with double locking latch, height: 29 mm, with flat gasket

---

Contact insert - HC-B 24-I-UT-F - 1648306



HEAVYCON female insert, B24 series, 24-pos., screw connection

---

## Approvals

### Approvals

---

Approvals

EAC

---

Ex Approvals

---


### Approval details

<https://www.phoenixcontact.com/cn/products/1409765>



## Connector set - HC-KIT-B24-R03 - 1409765

### Approvals

EAC		7500651.22.01.00246
-----	---	---------------------

Phoenix Contact 2017 © - all rights reserved  
<http://www.phoenixcontact.com>