https://www.phoenixcontact.com/cn/products/1411487



Connector set - HC-EVO-B06PT-BWSC-HL-M20ELC-AL - 1411487

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)



EVO connector set, B6 series, metal housing, consisting of: sleeve housing 1411448, panel mounting base 1411319, EVO screw connection 1411439, pin contact insert 1407728, socket contact insert 1407727



Key Commercial Data

Packing unit	1 STK		
GTIN	4 046356 932875		
GTIN	4046356932875		
Sales Key	BF7AFW		

Technical data

General

Number of positions	6+PE		
Design	B6		
Connection method	Push-in connection		
Cable exit	straight		
	lateral		
Degree of protection for housing	IP66		
	IP67		
	4 (UL 50e)		
	4X (UL 50e)		
	12 (UL 50e)		
Connection method	Push-in connection		
Rated voltage (III/3)	500 V		
Rated surge voltage	6 kV		
Rated current	16 A		

Standards and Regulations

02/22/2017 Page 1 / 3

https://www.phoenixcontact.com/cn/products/1411487



Connector set - HC-EVO-B06PT-BWSC-HL-M20ELC-AL - 1411487

Technical data

Standards and Regulations

Flammability rating according to UL 94	V0

Articles in set

Contact insert - HC-B 06-I-PT-F - 1407727



HEAVYCON socket insert, B6 series, 6 + PE-pos., push-in connection

Contact insert - HC-B 06-I-PT-M - 1407728



HEAVYCON pin insert, B6 series, 6 + PE-pos., push-in connection

Housing - HC-EVO-B06-HLFS-EL-AL - 1411448



HEAVYCON EVO sleeve housing, EMC version, without powder coating, with bayonet flange for EVO screw connection, B6, for single locking latch, height: 64 mm, without EVO screw connection.

Housing - HC-STA-B06-BWSC-ELC-AL - 1411319



HEAVYCON B6 panel mounting base, with single locking latch, with plastic protective cover, with flat gasket, salt-water-resistant aluminum, conductive profile gasket.

Cable gland - HC-B-G-M20-EC-AL - 1411439



EVO EMC cable gland with bayonet locking, B series, size M20, cable diameter: 9 ... 13 mm

02/22/2017 Page 2 / 3

https://www.phoenixcontact.com/cn/products/1411487



Connector set - HC-EVO-B06PT-BWSC-HL-M20ELC-AL - 1411487

Approvals			
Approvals			
Approvals			
EAC			
Ex Approvals			
Approval details			
EAC	EAC		7500651.22.01.00246

Phoenix Contact 2017 © - all rights reserved http://www.phoenixcontact.com

02/22/2017 Page 3 / 3