


DIN rail adapter - VS-PP-F-SCRJ - 1658121

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid
(<http://phoenixcontact.com/download>)




Product Description

- Freenet system
- Why buy this product
- ☒ DIN rail mounting
 - ☒ Compact dimensions
 - ☒ Individual marking field
 - ☒ Suitable for all fiber types



Key Commercial Data

Packing unit	1 STK
GTIN	 4 046356 149167
GTIN	4046356149167
Custom tariff number	8536909000
Sales Key	ABNAAZ

Technical data

Mechanical characteristics

Number of positions	2
Number of slots	1
Connection profile	SCRJ according to DIN EN 50377-6-1
Fiber type	GOF, PCF, POF
Fiber	POF, PCF, GOF
Ferrule diameter	2.50 mm
Insertion/withdrawal cycles	≥ 500
Connection method	Coupling

<https://www.phoenixcontact.com/cn/products/1658121>

DIN rail adapter - VS-PP-F-SCRJ - 1658121

Technical data

Mechanical characteristics

External cable diameter	4.5 mm ... 9 mm
Color	gray
Mounting type	DIN rail mounting
Degree of protection	IP20
Design	Rail-mountable module

Ambient conditions

Ambient temperature (operation)	-10 °C ... 60 °C
Ambient temperature (storage/transport)	-40 °C ... 70 °C
Degree of protection	IP20

Material data

Flammability rating according to UL 94	V0
Housing material	PC-GF
Ferrule material	Zirconia ceramics
Ferrule holder color	white

Electrical characteristics

Number of positions	2
---------------------	---

Standards and Regulations

Flammability rating according to UL 94	V0
--	----

Environmental Product Compliance

China RoHS	Environmentally Friendly Use Period = 50
	For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"

Approvals


Approvals

Approvals

EAC

Ex Approvals

Approval details

EAC		B.01742
-----	---	---------

<https://www.phoenixcontact.com/cn/products/1658121>



Phoenix Contact 2017 © - all rights reserved
<http://www.phoenixcontact.com>