

https://www.phoenixcontact.com/cn/products/2263117



Plug-in card block - SKBI 64/G64 - 2263117

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)




Plug-in card block, Nominal current: 4 A, Number of positions: 64, Pitch: 5.08 mm, Connection method: Screw connection with tension sleeve

Why buy this product



Key Commercial Data

Packing unit	1 STK
GTIN	 4 017918 053895
GTIN	4017918053895
Custom tariff number	8544421100
Sales Key	AAAWAA

Technical data

Dimensions

Length	66 mm
Height	162 mm
Width	118 mm
Pitch	5.08 mm
Hole diameter	4.2 mm

General

Range of articles	SKBI 64
Connection in acc. with standard	EN-VDE
Nominal current I_N	4 A
Nominal voltage U_N	250 V (in acc. with DIN VDE 0110/Gr.B)
Nominal cross section	2.5 mm ²
Stripping length	8 mm
Screw thread	M3

https://www.phoenixcontact.com/cn/products/2263117



Plug-in card block - SKBI 64/G64 - 2263117

Technical data

General

Tightening torque, min	0.5 Nm
Tightening torque max	0.6 Nm
Number of positions	64

Connection data

Conductor cross section solid min.	0.2 mm ²
Conductor cross section solid max.	4 mm ²
Conductor cross section flexible min.	0.2 mm ²
Conductor cross section flexible max.	2.5 mm ²
Conductor cross section AWG min.	24
Conductor cross section AWG max.	12

Standards and Regulations


Connection in acc. with standard	EN-VDE
----------------------------------	--------

Environmental Product Compliance


China RoHS	Environmentally Friendly Use Period = 50
	For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"

Drawings

Dimensional drawing



Schematic diagram



Approvals

Approvals

<https://www.phoenixcontact.com/cn/products/2263117>



Plug-in card block - SKBI 64/G64 - 2263117


Approvals

Approvals

EAC

Ex Approvals

Approval details

EAC		B.01742
-----	---	---------

Phoenix Contact 2017 © - all rights reserved
<http://www.phoenixcontact.com>