

https://www.phoenixcontact.com/cn/products/2264093



## Plug-in card block - SKBI 64/F48 - 2264093

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)




Plug-in card block, Nominal current: 4 A, Number of positions: 48, Pitch: 5.08 mm, Connection method: Screw connection with tension sleeve, Color: green

### Why buy this product



### Key Commercial Data

Packing unit	1 STK
GTIN	 4 017918 053918
GTIN	4017918053918
Custom tariff number	8536901900
Sales Key	AAAWAA

### Technical data

#### Dimensions

Length	66 mm
Height	162 mm
Width	118 mm
Pitch	5.08 mm
Dimension a	238.76 mm
Hole diameter	4.2 mm

#### General

Range of articles	SKBI 64
Connection in acc. with standard	EN-VDE
Nominal current $I_N$	4 A
Nominal voltage $U_N$	250 V (in acc. with DIN VDE 0110/Gr.B)
Nominal cross section	2.5 mm <sup>2</sup>
Stripping length	8 mm



# Plug-in card block - SKBI 64/F48 - 2264093

## Technical data

### General

Screw thread	M3
Tightening torque, min	0.5 Nm
Tightening torque max	0.6 Nm
Number of positions	48

### Connection data

Conductor cross section solid min.	0.2 mm <sup>2</sup>
Conductor cross section solid max.	4 mm <sup>2</sup>
Conductor cross section flexible min.	0.2 mm <sup>2</sup>
Conductor cross section flexible max.	2.5 mm <sup>2</sup>
Conductor cross section AWG min.	24
Conductor cross section AWG max.	12

### Standards and Regulations


Connection in acc. with standard	EN-VDE
----------------------------------	--------

### Environmental Product Compliance


China RoHS	Environmentally Friendly Use Period = 50
	For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"

## Drawings

Dimensional drawing



Schematic diagram



## Approvals

### Approvals

<https://www.phoenixcontact.com/cn/products/2264093>



## Plug-in card block - SKBI 64/F48 - 2264093

### Approvals

---

Approvals


EAC

---

Ex Approvals

---

### Approval details

EAC		B.01742
-----	---	---------

---

Phoenix Contact 2017 © - all rights reserved  
<http://www.phoenixcontact.com>