

https://www.phoenixcontact.com/cn/products/2269140



## Plug-in card block - SKBI 64/H15-MKDS3 - 2269140

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)




Plug-in card block, Nominal current: 15 A, Pitch: 0 mm, Connection method: Screw connection with tension sleeve

### Why buy this product



### Key Commercial Data

Packing unit	1 STK
GTIN	 4 017918 054007
GTIN	4017918054007
Custom tariff number	8544421100
Sales Key	AAAWAA

### Technical data

#### Dimensions

Length	66 mm
Height	162 mm
Width	118 mm
Pitch	0 mm
Hole diameter	4.2 mm

#### General

Range of articles	SKBI 64
Connection in acc. with standard	EN-VDE
Nominal current $I_N$	15 A
Nominal voltage $U_N$	250 V (overvoltage category III/contamination class 2)
Nominal cross section	2.5 mm <sup>2</sup>
Stripping length	8 mm
Screw thread	M3

https://www.phoenixcontact.com/cn/products/2269140



# Plug-in card block - SKBI 64/H15-MKDS3 - 2269140

## Technical data

### General

Tightening torque, min	0.5 Nm
Tightening torque max	0.6 Nm

### Connection data

Conductor cross section solid min.	0.2 mm <sup>2</sup>
Conductor cross section solid max.	4 mm <sup>2</sup>
Conductor cross section flexible min.	0.2 mm <sup>2</sup>
Conductor cross section flexible max.	2.5 mm <sup>2</sup>
Conductor cross section AWG min.	24
Conductor cross section AWG max.	12

### Standards and Regulations


Connection in acc. with standard	EN-VDE
----------------------------------	--------

### Environmental Product Compliance


China RoHS	Environmentally Friendly Use Period = 50
	For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"

## Drawings

Dimensional drawing




Schematic diagram





## Plug-in card block - SKBI 64/H15-MKDS3 - 2269140

Diagram



Approvals

Approvals

---

Approvals

EAC

---

Ex Approvals

---

Approval details

<https://www.phoenixcontact.com/cn/products/2269140>



## Plug-in card block - SKBI 64/H15-MKDS3 - 2269140

### Approvals

EAC	The EAC (Eurasian Conformity) logo, consisting of the letters "EAC" in a bold, stylized font.	B.01742
-----	---	---------

Phoenix Contact 2017 © - all rights reserved  
<http://www.phoenixcontact.com>