




NOTE:
 1. MATERIAL:
 CAGE ASSEMBLY: COPPER ALLOY.
 LIGHT PIPE BRACKET: COPPER ALLOY.
 LIGHT PIPE: PC, CLEAR.
 2. FINISH:
 CAGE ASSEMBLY: NICKEL PLATED.
 LIGHT PIPE BRACKET: NICKEL PLATED
 3. MATES WITH SFP MSA COMPLIANT TRANSCEIVERS.
 4. MINIMUM PC BOARD THICKNESS:
 SINGLE SIDED = 1.50mm
 5. LIGHT PIPE ASSEMBLY SHIPPED UNASSEMBLED TO CAGE ASSEMBLY.
 CAGE ASSEMBLY TO BE PRESSED INTO THE PCB PRIOR TO ATTACHING
 THE LIGHT PIPE ASSEMBLY TO THE CAGE.
 6. THIS PART MEETS THE RESTRICTION OF HAZARDOUS SUBSTANCES IN
 ELECTRICAL AND ELECTRONIC EQUIPMENT (ROHS) DIRECTIVE (2011/65/EU).




UNITS ■mm □INCH		NAME: SFP 1X4 CAGE ASSY, PERSS-FIT,WITH LIGHT PIPE		nexttron® NEXTRONICS ENGINEERING CORP.	
GENERAL TOLERANCES: (UNLESS SPECIFIED)		PART NO: Z-8281410000101		TITLE: CUSTOMER DWG.	
	mm	INCH	APPD: 楊海文 03/07'14	DWG NO: 010-0000-585	C
4 PLACE	± **	± **, **	CHKD: 廖小瓊 03/07'14	SCALE: SHEET: REV.:	
3 PLACE	± 0.10	± **, **	DRAWN: 張凱 03/07'14	1/1	1/3
2 PLACE	± 0.20	± **, **			
1 PLACE	± 0.25	± **, **			
ANGULAR:	X° ± 0.5°	X° ± **, **			

G	ECN-130255	03/07'14	楊海文
REV.	DESCRIPTION	DATE	APPD



UNITS ■mm □INCH		NAME: SFP 1X4 CAGE ASSY, PERSS-FIT, WITH LIGHT PIPE		NEXTRONICS ENGINEERING CORP. TITLE: CUSTOMER DWG.	
GENERAL TOLERANCES: (UNLESS SPECIFIED)		PART NO: Z-8281410000101			
	mm	INCH	APPD: 楊海文 03/07'14	DWG NO: 010-0000-585	
4 PLACE	±**	±,**	CHKD: 廖小瓊 03/07'14	C	
3 PLACE	±0.10	±,**	DRAWN: 張凱 03/07'14	SCALE: SHEET: REV.:	
2 PLACE	±0.20	±,**		1/1	2/3
1 PLACE	±0.25	±,**			F
ANGULAR:	X°±0.5° X°±**				

G	ECN-130255	03/07'14	楊海文
REV.	DESCRIPTION	DATE	APPD



RECOMMENDED BEZEL CUT-OUT AND BOARD POSITION DIMENSIONS FOR SINGLE SIDE MOUNTING

UNITS ■mm □INCH		NAME: SFP 1X4 CAGE ASSY, PERSS-FIT,WITH LIGHT PIPE		 NEXTRONICS ENGINEERING CORP.	
GENERAL TOLERANCES: (UNLESS SPECIFIED)		PART NO: Z-8281410000101			
	mm	INCH	APPD: 楊海文 03/07'14		DWG NO: 010-0000-585
4 PLACE	± **	±, **	CHKD: 廖小瓊 03/07'14		
3 PLACE	± 0.10	±, **	DRAWN: 張 凱 03/07'14		SCALE: SHEET: REV.: 1 / 1 3 / 3 G
2 PLACE	± 0.20	±, **			
1 PLACE	± 0.25	±, **			
ANGULAR:	X°± 0.5°	X°± **			

G	ECN-130255	03/07'14	楊海文
REV.	DESCRIPTION	DATE	APPD